



ART OF **Flooring**

Exceptional Oak flooring



ART OF FLOORING

Make your house a home with beautiful flooring and carpets in Cambridge.

Art of Flooring offer a range of fully bespoke finished wood flooring in planks, herringbone blocks and chevrons; styles to suit any interior design.

With endless options available, you can choose the design, dimensions, grade, texture, colour and finish all produced to order in the UK.

Combining the finest sustainable FSC European Oak with the latest state of the art machinery, finishing products and highly skilled colour technicians, we will together create your bespoke wood floor.



Contents

THE ART OF FLOORING PROCESS	4
THE LAB	5
DESIGNS & DIMENSIONS	6 - 7
GRADING	8
TEXTURES & TREATMENTS	9
OUR BESPOKE COLLECTION	10 - 23
TORCHED FINISHING	24
COLLEGE COLLECTION	28
TRUST COLLECTION	30
CLASSIC COLLECTION	32
CAMBRIDGE COLLECTION	34



Grantchester - Aged Tumbled Dark Smoked 

THE **ART OF FLOORING** PROCESS

Our fully certified Oak is **harvested from sustainable forests** throughout Europe.

Our simple **4 step process** allows you to create your own bespoke wood floor.

Now you've chosen your options, using the latest state of the art machinery and highly experienced craftsmen, our colour technicians will create your wood floor here in the UK from FSC certified European logs. Ensuring the highest British quality and prompt delivery.

We also offer a **bespoke colour matching service** to create your perfect floor, so please feel free to provide us with a sample you would like us to match.

Alternatively, we are able to create traditional wooden floors, site finished using Pallmann products by our highly skilled Pallmann Parkettprofi approved craftsmen.

**STEP
1**

**CHOOSE
YOUR
DESIGN**

Start creating your bespoke floor by choosing your design from page 6 and 7.

**STEP
2**

**CHOOSE
YOUR
DIMENSIONS**

Choose the dimensions available in your design from page 6.

**STEP
3**

**CHOOSE
YOUR
GRADE**

Our range of designs are available in Prime and Rustic grades - shown on page 8 with the majority of items in stock and ready for finishing.

**STEP
4**

**CHOOSE
YOUR
FINISH**

To complete your bespoke floor choose your texture and treatment from page 9 and your colour and finish from pages 10-24

We use UV cured hardwax oil as our final protective layer. Available in Matt and Silk finishes.



THE LAB

Our state of the art Lab houses only the best machinery to achieve our **colour matching service.**

With an extensive range of unfinished stock of European Prime and Rustic Oak and 100% Fumed Oak we are able to offer you a prompt colour matching service and final production time.

The process of **sample matching** takes 10 working days as we use the same extensive weighted method of application to ensure precise and consistent application of the oils, stains and textures required.



DESIGNS & DIMENSIONS

Planks

15/4 x 140 / 180 / 220mm x *Random Lengths* 600-2200mm

20/6 x 140 / 180 / 220 / 260 / 300mm x *Random Lengths* 1400-2400mm

Herringbone Blocks

10/4 x 70 x 490mm

11/4 x 70 x 350mm*

15/4 x 70 x 350mm*

20/5 x 70 x 350mm*

10/4 x 90 x 500mm

15/4 x 90 x 500mm

20/6 x 90 x 500mm

15/4 x 120 x 600mm

20/6 x 120 x 600mm

Chevrons - 45 Degree Angle

10/4 x 90 x 500mm

15/4 x 90 x 500mm

20/6 x 90 x 500mm

15/4 x 120 x 600mm

20/6 x 120 x 600mm

Other dimensions are available upon request in either plank, herringbone or chevron.

*These sizes are only available from stock in our tumbled finishes on pages 20 & 21.

Cube 200mm wide

Mansion Weave 200mm wide centre 90mm wide weave

Hexagon 200mm wide

Continuous Versailles 350 x 70mm and 140 x 140mm

Each of the above designs are available in 15/4 or 20/6mm.




PLANK

HERRINGBONE



CHEVRON







CUBE



HEXAGON



MANSION WEAVE



CONTINUOUS VERSAILLES



GRADING



Prime

GENERAL	Clear grade with mixture of natural grain.
KNOTS	Possible pin knots < 10mm.
SAPWOOD	Minimal edge and core sapwood.
FILLED DEFECTS	Not allowed.
CRACKS	Not allowed.
COLOUR	Natural variation.



Rustic

GENERAL	Rustic grade has a good mixture of natural grain and plentiful knots.
KNOTS	Healthy sound knots up to 70mm diameter and firmly filled knots up to 35mm.
SAPWOOD	Minimal edge and core sapwood.
FILLED DEFECTS	Allowed.
FILLED TYPE	Coloured filler to complement the wood.
CRACKS	Allowed up to 150mm long.
COLOUR	Natural variation.

TEXTURES & TREATMENTS



Brushed

Removing the soft grain enhances the texture of the timber.
Available in light, medium or heavy brushed.



Aged & Tumbled

Each piece of flooring is tumbled to achieve an authentic aged look to the edges and surface of the timber.



Bandsawn

Our bandsawn floors have traditional cut marks across the face of the floor and particularly suit retail and commercial projects.



Fumed

100% Fumed - tones of deep dark brown/black.

Art of Flooring offer you endless combinations of surface treatments to create your bespoke wood floor.

Here are the options available.



Light Smoked

Surface smoked – tones of light to medium brown.



Medium Smoked

Surface smoked – tones of medium to dark brown.



Dark Smoked

Surface smoked – tones of dark brown.



UV Oil Finish

UV cured hardwax oil.
Available in Matt and Silk finishes.

Our **fumed and smoked** colours are achieved through a process which reacts with the natural tannins in the oak and although we use controlled processes, the final colours are dictated by nature and not by using pigmented stains.

Please be aware that when you buy smoked or fumed oak there will be a large variation in colour, this is the beauty of having these floors.

OUR COLLECTIONS

PLANK

HERRINGBONE

CHEVRON



Art of Flooring offer you the option of thickness, width and grade in your chosen finish.

Our core range of 42 finishes are a few of our favourites to whet your appetite; with endless options of textures, colours and finishes available.

Classic in style, our herringbone blocks are available from stock and finished to order in 500 x 90 and thicknesses of 10/4, 15/4 and 20/6mm.

Our timeless 500 x 90 x 10/4mm chevrons are also available from stock and finished to order.


All other designs and dimensions shown on pages 6 & 7 are produced to order and also available in the majority of our bespoke range of finishes, with delivery times confirmed at time of order.



Whittlesford Standard White

Bottisham Intense White

Histon Matt UVM




Cambourne Dark Grey

Comberton Heavy Brushed Grey

Eversden Heavy Brushed Dark Smoked White Matt 


Melbourne Intense Black



Foxton Bespoke Stain Silk






Shepreth Bespoke Oil Black Silk



Linton Dark Smoked Woodlook Matt 



Balhsam Medium Smoked Bespoke Oil Matt 




Cottenham Medium Smoked Bespoke Stain Extra Matt

Abington Dark Smoked Bespoke Oil

Wilbraham Heavy Brushed Dark Smoked Bespoke Oil Matt

Barrington Reactive Stain Bespoke Oil



Chesterton Silk UVS


Oakington Woodlook Matt

Haslingfield Medium Smoked & Bespoke Oil


Harlton Medium Smoked & Bespoke Oil



Pallmann




Bespoke Finish - Colour Matched for Client



Duxford Silk (on 100% Fumed) 

Swavesey Bespoke Oil (on 100% Fumed) 



Fumed Flooring

Our fumed and smoked colours are achieved through a process which reacts with the natural tannins in the oak. Although we use controlled processes when smoking **variation  in colour will occur** and the final colours are dictated by nature and not by using pigmented stains.

The main difference between the two techniques; The **Smoking** process penetrates the veneer surface by 0.5 - 2mm in depth whilst the image shown here demonstrates that our **Fumed** oak penetrates the entire veneer layer.

Swavesey



Shelford Light Smoked 



Grantchester Dark Smoked 

Madingley Dark Smoked White 

Colour variation will occur.



Harston Light Smoked White



Pallmann Pure Lacquer site finish to 500 x 90mm blocks



Aged

Each piece of flooring is tumbled and hand worked by our skilled craftsmen to achieve an authentic aged appearance to the edges and surface of the timber. With our colour options you have all the benefits of modern engineered processes with the looks, character and charm of a reclaimed floor.

Harston - Aged



Chesterton - Aged Tumbled



Shelford - Aged Tumbled Light Smoked 



Trumpington - Aged Tumbled Medium Smoked 





Grantchester - Aged Tumbled Dark Smoked

Whittlesford - Aged Tumbled White

Harston - Aged Tumbled Light Smoked White

Madingley - Aged Tumbled Dark Smoked White



Chesterton - Sawn



Shelford - Sawn Light Smoked 



Grantchester - Sawn Dark Smoked 




Whittlesford - Sawn White



Coton - Sawn Light Smoked Sand

Madingley - Sawn Dark Smoked White



Whittlesford - Sawn White

SOMETHING DIFFERENT

TORCHED FINISHING

Artistry of the flame. A specially designed machine is used to accomplish the torched edges on our floors. This process is repeated to achieve the required result.

As with smoking and fuming the torched process reacts in different ways with the '*nature that is wood*'. Wider grain and knots will not burn as fast as the wood around them, especially if that surrounding grain is closer together.

Whilst the effect will always show variation in finish, the position at which the torches are fixed in the machine is kept constant for consistency of the torching.

This process is only available in our range of plank floors on the long edges, not the short ends.



Shelford - Flamed Light Smoked 




Shelford - Flamed & Aged Tumbled Light Smoked 



Shelford - Flamed & Sawn Light Smoked 





We are very pleased with the new floor. Sam and the team were very helpful and approachable from start to finish.

Keith McGregor - Cambridge



Trumpington - Medium Smoked 






Trinity 



Selwyn



Clare



Corpus Christi



College Collection

6 Colour Range of FSC European Oak in Herringbone or Chevron.

Available in both Prime and Rustic grades.

Herringbone sizes 10/4 x 90 x 500mm or 10/4 x 70 x 490mm.

Chevron size 10/4 x 90 x 500mm.

All are finished in a Silk UV Oil.

Also available in 10/4mm is a natural finished selection of Plank, Herringbone and Chevron, all available in a UV Oil or Lacquered finish. Please ask for details on these options.



Emmanuel

Fitzwilliam



Clare

Colour variation will occur.

Trust Collection

9 Colour Range of Plank and Herringbone Character Grade FSC European Oak.

This range is so very evident of character.

Plank size 15/3 x 185mm in random lengths of 500 - 2200mm.

Herringbone size 12/3 x 120 x 600mm.

All are finished in a Matt UV Oil.

All flooring is produced to order, delivery times to be confirmed at this time.

GENERAL	Character grade, a mixture of natural grain and knots.
KNOTS	Herringbone Healthy sound knots up to 70mm with dead knots up to 35mm and holes firmly filled. Plank Healthy sound knots up to 90mm with dead knots up to 60mm and holes firmly filled up to 50mm.
SAPWOOD	Herringbone ≤20% of the surface area of the board. Plank Minimal edge and core sapwood.
CRACKS	Plank Allowed 150mm+.
COLOUR	Natural colour variation allowed.



Houghton



Anglesey



Melford



Wimpole

Willington

Hatfield

Ramsey

Ickworth

Wicken



Invisible UV Oiled Extra Matt



Medium Smoked & White UV Oiled Silk



Light Smoked & White UV Oiled Silk



White UV Oiled Silk



UV Oiled Silk



Dark Smoked & UV Oiled Silk



Dark Smoked & Black UV Oiled Silk



Antique UV Oiled Silk

Colour variation will occur.

Classic Collection

9 Colour Range of
FSC European Oak
Solid Tumbled Parquet
Battens in Prime and
Rustic Grade.

These beautiful blocks provide an authentic aged appearance. With subtle surface damage and slightly rounded corners, each piece has its own character to provide a great alternative to reclaimed blocks.

Batten size
300 x 60 x 10mm.

All are finished in a UV Oil
either Matt or Silk.

All flooring is produced to order,
delivery times to be confirmed at
this time.



Light Smoked & UV Oiled Silk



Light Smoked & White UV Oiled Silk



Light Smoked & UV Oiled Silk

Cambridge Collection

6 Colour Range of Textured Rustic Grade FSC Mix European Oak Planks.

This Collection is designed to emulate floors from a bygone era. Characterised by a distinctive surface texture and exhibiting the natural, raw beauty of European oak. Each board is textured by hand, creating a unique, old world appearance that adds character to these perfectly imperfect floors.

Plank size 15/3 x 200mm in random lengths of 1800 - 2200mm.



Petersfield



Romsey



Newnham



Abbey



Market



Castle



ART OF
Flooring

T 01223 755802

info@artofflooring.co.uk | www.artofflooring.co.uk

141 Milton Rd | Cambridge | CB4 1XE

